# SUPREME <sup>™/MC</sup> C3-X SYNTHETIC 5W-30



000003008724				
Version 3.6		Revision Date 2024/02/02 Print Date 2024/02		
SECTION 1. IDENTIFICATION				
Product name	:	SUPREME TM/MC C3-X SYNTHETIC 5V	V-30	
Synonyms	:	RDL-3832, S700X53		
Product code	:	MOSNX53C20, MOSNX53K60, MOSN MOSNX53C16, MOSNX53C12, MOSN MOSNX53ICT, MOSNX53DCT, MOSN MOSNX53DRM	IX53, MOSNX53BLK,	
Manufacturer or supplier's d	eta			
		Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada		
Telephone	:			
Emergency telephone numb	er			
Emergency telephone number	:	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local tel emergency number(s).	ephone directory for	
Recommended use of the chemical and restrictions on use				
Recommended use	:	A Synthetic SAE 5W-30 passenger car European gasoline and light duty diese		
Prepared by	:	Product Safety: +1 905-491-0565		
SECTION 2 HAZARDS IDENTIFIC	.Δ			

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	50 - 70

# SUPREME <sup>™/MC</sup> C3-X SYNTHETIC 5W-30

#### 000003008724

Version 3.6	Revision Date 2024/02/02	Print Date 2024/02/02
Lubricating oils (petroleum), C20-5 hydrotreated neutral oil-based; Baseoil — unspecified	0, 72623-87-1	5 - 10
Lubricating oils (petroleum), C15-3 hydrotreated neutral oil-based; Baseoil — unspecified	0, 72623-86-0	5 - 10
bis(nonylphenyl)amine	36878-20-3	1 - 5

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.
Notes to physician	:	Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion products	:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides (SOx), phosphorus oxides (POx), sulphur compounds

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.



# SUPREME TM/MC C3-X SYNTHETIC 5W-30

### 000003008724



Version 3.6	Revision Date 2024/02/02	Print Date 2024/02/02		
	(H2S), zinc oxides (ZnOx), metal or smoke and irritating vapours as pr combustion.			
Further information	: Prevent fire extinguishing water from water or the ground water system.			
SECTION 6. ACCIDENTAL RELEASE MEASURES				

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the environment.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

# SUPREME <sup>™/MC</sup> C3-X SYNTHETIC 5W-30

### 000003008724

Version 3.6

Revision Date 2024/02/02

Print Date 2024/02/02

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	TWA (Mist)	5 mg/m3	CA AB OEL
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

**Engineering measures** 

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

:

Respiratory protection

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated



# SUPREME TM/MC C3-X SYNTHETIC 5W-30





Version 3.6		Revision Date 2024/02/02	Print Date 2024/02/02
		exposure levels, the hazards of the pr working limits of the selected respirate	
Filter type	:	organic vapour filter	
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PV	/A), Viton <sup>®</sup> .
Remarks	:	Chemical-resistant, impervious gloves approved standard should be worn at chemical products if a risk assessmen necessary.	all times when handling
Eye protection	:	Wear face-shield and protective suit for problems.	or abnormal processing
Skin and body protection	:	Choose body protection in relation to i concentration and amount of dangerout the specific work-place.	
Protective measures	:	Wash contaminated clothing before re	-USE.
Hygiene measures	:	Remove and wash contaminated cloth including the inside, before re-use. Wash face, hands and any exposed s handling.	

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	brown
Odour	:	Mild petroleum oil like.
Odour Threshold	:	No data available
рН	:	No data available
Pour point	:	-45 °C (-49 °F)
Boiling point/boiling range	:	No data available
Flash point	:	205 °C (401 °F) Method: Pensky-Martens closed cup
Fire Point	:	No data available
Evaporation rate	:	No data available
Flammability	:	Remarks: Low fire hazard. This material must be heated before ignition will occur.
Auto-Ignition Temperature	:	No data available

# SUPREME <sup>™/MC</sup> C3-X SYNTHETIC 5W-30

### 000003008724

Version 3.6		Revision Date 2024/02/02	Print Date 2024/02/02
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8514 kg/l (15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	66.4 cSt ( 40 °C)	
		11.7 cSt ( 100 °C)	
Explosive properties	:	Do not pressurize, cut, weld, braze, so expose containers to heat or sources of	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents.
Hazardous decomposition products	:	May release COx, H2S, smoke and irritating vapours when heated to decomposition.

## SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Eye contact Ingestion Inhalation Skin contact

#### Acute toxicity

#### Product:



# SUPREME TM/MC C3-X SYNTHETIC 5W-30



### 000003008724

000003000724		
Version 3.6	Revision Date 2024/02/02	Print Date 2024/02/02
Acute oral toxicity	: Remarks: No data available	
Acute inhalation toxicity	: Remarks: No data available	
Acute dermal toxicity	: Remarks: No data available	
Skin corrosion/irritation		
Product:		
Remarks	: No data available	
Serious eye damage/eye i	ritation	
Product:		
Remarks	: No data available	
Respiratory or skin sensit	isation	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
SECTION 12. ECOLOGICAL IN	FORMATION	
Ecotoxicity		
Product:		
Toxicity to fish	: Remarks: No data available	

Toxicity to fish	•	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

## Persistence and degradability

#### Product:

# SUPREME <sup>™/MC</sup> C3-X SYNTHETIC 5W-30



### 000003008724

Version 3.6	Revision Date 2024/02/02	Print Date 2024/02/02
Biodegradability	: Remarks: No data available	
<b>Bioaccumulative potential</b> No data available		
<b>Mobility in soil</b> No data available		
<b>Other adverse effects</b> No data available		

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Offer surplus and non-recyclable solutions to a licensed disposal company.</li> <li>Waste must be classified and labelled prior to recycling or disposal.</li> <li>Send to a licensed waste management company.</li> <li>Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.</li> </ul>
	of the person responsible for waste disposal.

## SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### **National Regulations**

TDG

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:			
DSL	:	On the inventory, or in compliance with the inventory	
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.	
IECSC	:	On the inventory, or in compliance with the inventory	

# SUPREME <sup>™/MC</sup> C3-X SYNTHETIC 5W-30

#### 000003008724

Version 3.6

Print Date 2024/02/02

#### **SECTION 16. OTHER INFORMATION**

Full text of other abbreviations			
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)	
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)	
CA BC OEL	:	Canada. British Columbia OEL	
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants	
ACGIH / TWA	:	8-hour, time-weighted average	
CA AB OEL / TWA	:	8-hour Occupational exposure limit	
CA AB OEL / STEL	:	15-minute occupational exposure limit	
CA BC OEL / TWA	:	8-hour time weighted average	
CA QC OEL / TWAEV	:	Time-weighted average exposure value	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

For Copy of SDS : Internet: www.petrocanadalubricants.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378-4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1-800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285

# SUPREME <sup>™/MC</sup> C3-X SYNTHETIC 5W-30

#### 000003008724

Version 3.6	Revision Date 2024/02/02	Print Date 2024/02/02
	For Product Safety Information	n: 1 905-491-0565
Prepared by	: Product Safety: +1 905-491-0	565
Revision Date Date format	: 2024/02/02 : yyyy/mm/dd	

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN

