SUPREME ^{™/MC} 5W-30

000003000704

Version 6.1

Revision Date 2024/01/23



Print Date 2024/01/23

SECTION 1. IDENTIFICATION

Product name	SUPREME TM/MC 5W-30		
Product code	MOSP53C20, MOSP53IBC, MOSP53ICT, MOSP53DC MOSP53BLK, MOSP53B6U, MOSP53CBE, MOSP53P MOSP53DRR, MOSP53DRM, MOSP53C12, MOSP53		
Manufacturer or supplier's de	ils		
Telephone	Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga ON L5J 1K2 Canada 1-905-403-6785		
Emergency telephone number			
Emergency telephone number	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory emergency number(s).	for	
Recommended use of the ch	ical and restrictions on use		
Recommended use	A passenger car engine oil for use in vehicles fueled wit gasoline, E85, propane or CNG meeting the latest API a ILSAC (if applicable) requirements.		
Prepared by	Product Safety: +1 905-491-0565		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	70 - 90
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based;	72623-86-0	50 - 70

SUPREME ^{™/MC} 5W-30





Print Date 2024/01/23

Version 6.1 Revision Date 2024/01/23

Baseoil — unspecifiedLubricating oils (petroleum), C20-50,
hydrotreated neutral oil-based;
Baseoil — unspecified72623-87-120 - 30

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during firefighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion products	:	Carbon oxides (CO, CO2), sulphur oxides (SOx), aldehydes, smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.

SUPREME ^{™/MC} 5W-30

000003000704

PETRO-CANADA

Version 6.1

Revision Date 2024/01/23

Print Date 2024/01/23

water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the environment. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
		(Form of	parameters /	
		exposure)	Permissible	

SUPREME TM/MC 5W-30

000003000704

Version 6.1

Revision Date 2024/01/23

Print Date 2024/01/23

			concentration	
Distillates (petroleum),	64742-54-7	TWA (Mist)	5 mg/m3	CA AB OEL
hydrotreated heavy paraffinic;	04742-34-7		5 mg/m5	
Baseoil — unspecified				
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist	5 mg/m3	CA QC OEL
		- Inhalable	eg,e	
		dust)		
		TWÁ (Mist)	1 mg/m3	CA BC OEL
		TWA	5 mg/m3	ACGIH
		(Inhalable		
		particulate		
		matter)		
Lubricating oils (petroleum),	72623-86-0	TWA (Mist)	5 mg/m3	CA AB OEL
C15-30, hydrotreated neutral				
oil-based; Baseoil —				
unspecified				
		STEL (Mist)	10 mg/m3	CA AB OEL CA QC OEL
		TWAEV (Mist - Inhalable	5 mg/m3	CA QC OEL
		dust)		
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA	5 mg/m3	ACGIH
		(Inhalable	5 mg/m5	AUGIN
		particulate		
		matter)		
Lubricating oils (petroleum),	72623-87-1	TWA (Mist)	5 mg/m3	CA AB OEL
C20-50, hydrotreated neutral			Ū	
oil-based; Baseoil —				
unspecified				
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV (Mist	5 mg/m3	CA QC OEL
		- Inhalable		
		dust)		
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA	5 mg/m3	ACGIH
		(Inhalable		
		particulate matter)		
		,	I	
Engineering measures			nents. Good genera	
			worker exposure to	o airborne
	contaminants	6.		

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin Respirator selection must be based on known or anticipate exposure levels, the hazards of the product and the safe working limits of the selected respirator.	
Filter type	:	organic vapour filter	
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .	

: neoprene, nitrile, polyvinyl alcohol (PVA), Viton[®].

Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.



SUPREME TM/MC 5W-30



000003000704

Version 6.1		Revision Date 2024/01/23	Print Date 2024/01/23
Remarks	:	Chemical-resistant, impervious glov approved standard should be worn chemical products if a risk assessm necessary.	at all times when handling
Eye protection	:	Wear face-shield and protective sui problems.	t for abnormal processing
Skin and body protection	:	Choose body protection in relation t concentration and amount of dange the specific work-place.	
Protective measures	:	Wash contaminated clothing before	re-use.
Hygiene measures	:	Remove and wash contaminated cluin including the inside, before re-use. Wash face, hands and any exposed handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Appearance	:	viscous liquid
	Colour	:	amber
	Odour	:	hydrocarbon-like
	Odour Threshold	:	No data available
	рН	:	No data available
	Pour point	:	-45 °C (-49 °F)
	Boiling point/boiling range	:	No data available
	Flash point	:	210 °C (410 °F) Method: Pensky-Martens closed cup
	Fire Point	:	No data available
	Evaporation rate	:	No data available
	Flammability	:	Remarks: Low fire hazard. This material must be heated before ignition will occur.
	Auto-Ignition Temperature	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Vapour pressure	:	No data available
Inte	rnet: www.petrocanadalubricants.co	om/s	sds Page

Trademarks are owned or used under license.

SUPREME TM/MC 5W-30

000003000704

Version 6.1



Print Date 2024/01/23

Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.8510 kg/l (15 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n- octanol/water	:	No data available
Viscosity		
Viscosity, kinematic	:	64.4 cSt (40 °C)
		10.9 cSt (100 °C)
Explosive properties	:	Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents and reducing agents.
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, H2S, metal oxides, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Ingestion Inhalation Skin contact		
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available

SUPREME TM/MC 5W-30

000003000704

00003000704			
Version 6.1		Revision Date 2024/01/23	Print Date 2024/01/23
<u>Components:</u> Distillates (petroleum), hyd	drotı	eated heavy paraffinic; Baseoil —	unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Lubricating oils (petroleun unspecified:	n), C	15-30, hydrotreated neutral oil-bas	sed; Baseoil —
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Skin corrosion/irritation			
Product:			
Remarks	:	No data available	
Serious eye damage/eye ir	ritat	ion	
Product:			
Remarks	:	No data available	
Respiratory or skin sensiti	isati	on	
No data available			
Germ cell mutagenicity No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure	ł		
No data available			
ECTION 12. ECOLOGICAL INI	FOR	MATION	_
Ecotoxicity			
Product:			
Toxicity to fish	:	Remarks: No data available	
Toxicity to daphnia and othe	⊧r :	Remarks: No data available	

aquatic invertebrates Internet: www.petrocanadalubricants.com/sds Trademarks are owned or used under license.



SUPREME ^{™/MC} 5W-30





Version 6.1		Revision Date 2024/01/23	Print Date 2024/01/23
Toxicity to algae/aquatic plants	:	Remarks: No data available	
Toxicity to microorganisms	:	Remarks: No data available	
Persistence and degradabili	ity		
Product:			
Biodegradability	:	Remarks: No data available	
Bioaccumulative potential			
No data available			
Mobility in soil			
No data available			
Other adverse effects			
No data available			

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions
		of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

DSL

: On the inventory, or in compliance with the inventory

SUPREME	TM/MC 5W-30
----------------	-------------

000003000704



000003000704		
Version 6.1	Revision Date 2024/01/23	Print Date 2024/01/23
TSCA	: All chemical substances in this proc TSCA Inventory or are in compliance exemption.	
IECSC	: On the inventory, or in compliance	with the inventory

SECTION 16. OTHER INFORMATION

Full text of other abbreviation	ons	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA		8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SUPREME TM/MC 5W-30



000003000704

000003000704					
Version 6.1	Revision Date 2024/01/23	Print Date 2024/01/23			
For Copy of SDS	: Internet: www.petrocanadalubrica	ants.com/sds			
	Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518				
	Ontario & Central Canada, telept 800-201-6285	none: 1-800-268-5850; fax: 1-			
	Quebec & Eastern Canada, telep 1-800-201-6285	hone: 1-800-576-1686; fax:			
	For Product Safety Information: 1	905-491-0565			
Prepared by	: Product Safety: +1 905-491-0565	5			

Revision Date	:	2024/01/23
Date format	:	yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN